

If you received this via fax and would like to switch to email, please let us know - ask Pattie at ext. 131



P.O. Box 1410 • 3800 Del Mar Ave. • Loomis, CA 95650
(916) 652-9261 • (800) 350-6640 • FAX (916) 652-6771
WEBSITE: www.hrnursery.com E-MAIL: sales@hrnursery.com

GRADE LEGEND	
A	Prime
B	Good, almost prime
C	Small, but rooted
D	Pruned

This is a condensed list only, listing items meeting a minimum quantity available, such as 30-1g and 10-2g. Other items you are seeking may not show up on this list. Please call for availability.

Otv	Grade	Loc	Comment	Otv	Grade	Loc	Comment	Otv	Grade	Loc	Comment										
Annuals, Perennials, & Ground Covers																					
Aster n.a. 'Purple Dome'																					
2gl	___	26 C	53B	4"	___	144 C	C4Q	1gl	___	26 D	D06										
2gl	___	70 C	53B	4"	___	8 B	C2F	Miscanthus sin. 'Hinjo'													
4"	___	136 C	C4I	Dormant	4"	___	119 D	C4O	1gl	___	22 D	D06	UCDAAS								
Bulbine frutescens																					
1gl	___	13 A	C4L	UCDAAS; Blooms	Nepeta x faa. 'Walker's Low'																
1gl	___	58 B	C5X		1gl	___	292 B	58I	UCDAAS	Miscanthus sinensis 'Little Kitten'											
1gl	___	112 A	C5B		1gl	___	40 B	58D	UCDAAS	Muhlenbergia rigens											
4"	___	144 B	C4K		1gl	___	70 B	59E	UCDAAS	1gl	___	40 D	06A								
4"	___	16 B	C4N		1gl	___	14 B	C3U	Dormant	1gl	___	129 B	20B								
Ceratostigma plumbaginoides																					
1gl	___	18 C	C5X	dormant	4"	___	4 B	C2F	Dormant	2gl	___	4 A	D05								
4"	___	196 C	C4P	Dormant	4"	___	127 B	C1H	Dormant	2gl	___	38 B	52H	UCDAAS							
Delosperma cooperi																					
1gl	___	10 B	58G		4"	___	24 D	C2Z	UCDAAS	Patio Trees											
1gl	___	84 B	58G		Lagerstroemia fau. 'Miami'--Std																
Epilobium can. 'Catalina'																					
1gl	___	30 B	58C	UCDAAS	15gl	___	37 A	T32C	3/4" c, 6-8'	Lagerstroemia fau. 'Margarita BOP'											
1gl	___	21 C	58Q		15gl	___	2 A	T30A	3/4" C, 6 1/2'	1gl	___	136 B	59C	UCDAAS							
4"	___	13 B	C2Z	UCDAAS	15gl	___	1 B	DT15H	5/8" c, 7'	1gl	___	130 B	59Q	UCDAAS							
Epilobium can. 'Uvas Canyon'																					
1gl	___	23 B	D05	UCDAAS	1gl	___	12 B	C5B		1gl	___	12 B	C5B								
1gl	___	197 A	58F	UCDAAS	4"	___	128 C	C4M		4"	___	128 C	C4M								
1gl	___	80 B	59B		Salvia apiana																
4"	___	99 C	C4Q		1gl	___	20 A	C5O		Salvia gre. 'Dark Dancer'											
Erigeron kar. 'Profusion'																					
1gl	___	38 D	C5U		4"	___	48 B	C1H	B&B	Salvia greggii 'Coral'											
1gl	___	297 B	59N		1gl	___	25 B	58B	UCDAAS	Salvia greggii 'San Takao'											
1gl	___	41 A	58E	UCDAAS	4"	___	16 D	C2Z	UCDAAS	Salvia mic. 'Pink'											
1gl	___	15 A	C5A		1gl	___	16 D	58Q		Salvia mic. 'San Carlos Festival'											
Erigeron karvinskianus																					
4"	___	7 D	C2Z	UCDAAS	4"	___	99 D	C4K		Salvia mic. X gre. 'Red Velvet'											
4"	___	50 A	C2N		4"	___	80 D	C4J		Salvia x jam. 'Scott's Red'											
Lavandula hyb. 'Goodwin Creek'																					
1gl	___	22 A	55Q	UCDAAS, Budded	1gl	___	107 A	58G	UCDAAS	Saponaria lem. 'Max Frei'											
1gl	___	50 B	55D	UCDAAS	1gl	___	24 A	58C	UCDAAS	1gl	___	25 A	C5A								
4"	___	9 B	C2F		1gl	___	16 B	C5B		Sedum palmeri											
4"	___	6 B	C2Z	UCDAAS, B&B	4"	___	68 C	C4J		Teucrium chamaedrrys											
Lavandula sto. 'Otto Quast'																					
1gl	___	251 A	54B		1gl	___	80 B	58H	UCDAAS	Teucrium fru. 'Azureum'											
Nepeta x faa. 'Droptone'																					
1gl	___	94 B	58M	UCDAAS	1gl	___	395 B	59K	UCDAAS	1gl	___	166 B	60A	UCDAAS							
1gl	___	57 B	59C	UCDAAS	Grasses																
4"	___	159 B	C1M	Dormant	Calamagrostis acu. 'Karl Foerster'																
4"	___	20 D	C2Z	UCDAAS	1gl	___	112 B	C4P	UCDAAS; Budded	1gl	___	20 B	D05	UCDAAS							
Nepeta x faa. 'Kit Kat'																					
4"	___	70 C	C4Q	Dormant	4"	___	11 A	C2Z	UCDAAS, Budded	4"	___	11 A	C2Z	UCDAAS, Budded							
Nepeta x faa. 'Six Hills Giant'																					
Lagerstroemia fau. 'Twilight Purple'--Std																					
15gl	___	1 A	T31D	5/8" c < 7'	Lagerstroemia fau. 'Tuscarora'--Std																
15gl	___	42 A	T33J	1/2" c, 7-8';	Lagerstroemia fau. 'Natchez'--Std																
Lagerstroemia fau. 'Natchez'--Std																					
5gl	___	1 A	28F	1/2" c, 7', RPM	Lagerstroemia fau. 'Tuscarora'--Std																
5gl	___	100 C	T22B	1/2" c, 3-4'	Lagerstroemia fau. 'Tuscarora'--Std																
5gl	___	103 B	T24E	1/2" c, 4'	Lagerstroemia fau. 'Tuscarora'--Std																
5gl	___	105 C	38F	1/2" c, 3'	Lagerstroemia fau. 'Tuscarora'--Std																
Lagerstroemia fau. 'Tuscarora'--Std																					
15gl	___	3 B	DT15E	1" c, 9'	Lagerstroemia fau. 'Tuscarora'--Std																
15gl	___	52 A	T32E	3/4" c, 6'	Lagerstroemia fau. 'Tuscarora'--Std																
15gl	___	4 A	T30A	1" c, 6 1/2'	Lagerstroemia fau. 'Tuscarora'--Std																
15gl	___	81 A	T30A	1" c, 8-10'	Lagerstroemia fau. 'Tuscarora'--Std																
24" Bx	___	6 B	BOXT55	1 1/2" c, 10'	Lagerstroemia fau. 'Tuscarora'--Std																
24" Bx	___	3 A	BOXRRB	1 1/2" c, 10'	Lagerstroemia fau. 'Tuscarora'--Std																
5gl	___	3 B	T21D	3/4" c, 6'	Lagerstroemia fau. 'Tuscarora'--Std																
5gl	___	84 C	T22F	1/2" c, 4'	Lagerstroemia fau. 'Tuscarora'--Std																
5gl	___	142 C	T22I	1/2" c, 3-4'	Lagerstroemia fau. 'Tuscarora'--Std																
5gl	___	26 C	30A	1" c, 6', RPM	Lagerstroemia fau. 'Tuscarora'--Std																
5gl	___	154 c	30F	3/8" c, 4', RPM	Lagerstroemia fau. 'Tuscarora'--Std																

Otv	Grade	Loc	Comment	Otv	Grade	Loc	Comment	Otv	Grade	Loc	Comment
15gl	26	A	T31G 3/4" c, 9'	15gl	5	A	T31F 5/8" c, 6'	1gl	48	B	D09L
15gl	3	A	DT15H 5/8" c, 8'	5gl	7	B	T25C 1/2" c, 5'	1gl	38	B	09F
5gl	8	A	T28C 1/2" c, 6'	5gl	13	C	T22J 1/2" c, 6'	1gl	124	B	08B
5gl sq	134	A	29B 1/2" c, 7', RPM	5gl sq	16	A	T25C 1/2" c, 5-6'	Lagerstroemia fau. 'Miami'			
Lagerstroemia hvb. 'Yuma'--Std				5gl sq	60	B	T23A 1/2" c, 4', RPM	15gl	6	A	DT15I
15gl	33	A	T30C 3/4" c, 8'	Lagerstroemia ind. 'Regal Red'--Std				1gl	22	B	D09L
15gl	1	A	DT15H 3/4" c, 7 1/2'	15gl	2	B	DT15D 5/8" c, 7'	1gl	196	B	08C
5gl	26	B	T26B 1/2" c, 5-6'	15gl	56	A	T32H 3/4" c, 7'	5gl	75	B	15D 4-5'
Lagerstroemia ind. 'Catawba'--Std				15gl	22	A	T31D 3/4" c, 7-8'	5gl	70	B	27C
5gl sq	150	C	29B 1/2" c, 5-6', RPM	24"Bx	1	A	BOXT55 1 1/4" c, 9'	5gl	35	B	D10I
Lagerstroemia ind. 'Centennial Spirit'--Std				24"Bx	8	A	BOXT34A1" c, 8'	Lagerstroemia fau. 'Muskogee'			
15gl	44	A	T30B 5/6" c, 7-8'	24"Bx	4	A	BOXT34B1" c, 9'	15gl	5	A	D05 8' x 5'
24"Bx	15	A	BOXRRA 1 1/4" c, 8'	5gl	150	B	T22C 1/2" c, 5'	15gl	44	A	41E 5'
24"Bx	6	A	BOXRRJ 1" c, 8'	5gl	59	B	T22A 1/2" c, 5 1/2'	1gl	475	B	04A
5gl	93	B	T23I 1/2" c, 4-5'	5gl	16	A	T22E 1/2" c, 5 1/2'	1gl	1,040	B	04B
5gl sq	75	B	29A 1/2" c, 5-6', RPM, budded	5gl	63	B	T22B 3/8" c, 5-6',	24"Bx	1	A	BOXT34C2" c, 11'
Lagerstroemia ind. 'Cherokee'--Std				5gl sq	185	C	T28G 3/8" c, 3-4', RPM	5gl	50	B	35G
15gl	6	B	DT15H 3/4" c, 6'	Lagerstroemia ind. 'Seminole'--Std				Lagerstroemia fau. 'Natchez'			
15gl	24	A	T30C 3/4" c, 8'	15gl	21	A	T30C 3/4" c, 8-9'	15gl	28	A	41E 5'
15gl	29	A	T30B 3/4" c, 7'	15gl	16	B	T32A 5/8" c, 6-7'	1gl	642	B	56I
15gl	1	C	DT15D 3/4" c, 6'	24"Bx	7	A	BOXRRB 1 1/2" c, 9'	1gl	536	B	56J
15gl	14	A	T30A 3/4" c, 7-8'	24"Bx	4	A	BOXT34B1" c, 8'	1gl	682	C	55H
15gl	27	A	T30D 5/8" c, 7'	24"Bx	5	A	BOXT34A1" c, 10'	Lagerstroemia fau. 'Tuscarora'			
24"Bx	4	A	BOXT34A1" c, 10'	24"Bx	4	A	BOXT34B3/4" c, 8'	15gl	5	A	D05 8' x 4'
24"Bx	10	C	BOXRRC 3/4" c, 7'	24"Bx	2	A	BOXRRD 1 1/4" c, 8'	15gl	52	A	T31G 3/4" c, 8'
24"Bx	1	A	BOXT34B1" c, 10'	5gl	187	A	T22I 1/2" c, 5 1/2'	15gl	28	A	T20B 6' x 4'
24"Bx	5	C	BOXRRR 1" c, 7-8'	5gl	34	A	T26B 5/8" c, 6'	1gl	20	B	D09L
5gl	12	A	T21D	5gl	34	B	T22C 1/2" c 5'	1gl	800	B	03J
5gl	26	C	T25F 1/2" c, 3-4'	5gl sq	41	B	T25C 1/2" c, 4-5', RPM	1gl	673	B	06C
5gl	10	C	T24F 1/2" c, 4'	5gl sq	204	A	29K 1/2" c, 6", RPM	1gl	700	B	03I
Lagerstroemia ind. 'Dynamite'-PAT.--Std				5gl sq	29	B	T21A 1/2" c, 5 1/2'	1gl	330	B	06A
15gl	5	B	T33E 3/4" c, 6'	5gl sq	75	C	T29B 1/2" c, 4-5', RPM	1gl	150	B	03D
15gl	77	B	T32H 5/8" c, 6'	Lagerstroemia ind. 'Watermelon'--Std				5gl	90	B	D10K
15gl sq	3	C	DT15H	15gl	11	A	T43E 3/4" c, 7-8;	Lagerstroemia fau. 'Twilight Purple'			
15gl sq	5	B	T32A	24"Bx	1	A	BOXRRC 2" c, 10'	15gl	8	A	41F 5'
24"Bx	15	B	BOXRRB 1" c, 8'	5gl	6	A	T22A 5/8" c, 5-6'	1gl	730	B	07B
24"Bx	10	A	BOXRRC 1" c, 8'	Roses				1gl	330	B	70A
5gl sq	115	C	T25A 3/8" c, 3'	Rosa 'Korbin' ('Iceberg')				Lagerstroemia hvb. 'Yuma'			
5gl sq	135	C	T25E 3/8" c, 3'	1gl	14	A	59C UCDAAS	15gl	18	A	T20C 4' x 3'
Lagerstroemia ind. 'Firebird'--Std				1gl	315	A	59P UCDAAS	1gl	250	B	03B
15gl	51	A	T31D 5/8" c, 8-9'	4"	15	A	C4H	1gl	725	B	07D
15gl	15	A	T30C 3/4" c, 8'	Rose--NPFL--Iceberg				1gl	13	B	07F
15gl	6	A	DT15H 5/8" c, 8-9'	5gl	50	A	62B	5gl	204	A	62Q
24"Bx	9	A	BOXRRC 1 1/4" c, 4'	Shrubs				5gl	111	A	62O
Lagerstroemia ind. 'Peppermint'--Std				Callistemon 'Violaceus'				Lagerstroemia ind. 'Catawba'			
15gl	4	B	T30C 3/4" c, 7'	5gl	82	A	34L UCDAAS	15gl	15	A	T20C 4' x 3'
5gl	125	C	T23D 3/8" c, 3-4'	Ceanothus 'Concha'				1gl	28	B	04A
Lagerstroemia ind. 'Petite Orchid'--Std				1gl	145	B	55A	1gl	25	B	05B
5gl	2	B	DT05L	Ceanothus mar. 'Valley Violet'				5gl	29	B	D10I
Lagerstroemia ind. 'Pink Velour'-PAT.--Std				1gl	73	C	55F	Lagerstroemia ind. 'Centennial Spirit'			
15gl	30	A	T33F 3/4" c, 7-8'	Ceanothus 'Marie Simon'				1gl	500	B	56H
24"Bx	5	A	BOXRRA 1" c, 7'	1gl	12	B	S01A	Lagerstroemia ind. 'Cherokee'			
5gl	10	B	T21A 1/2" c, 5-6'	Ceanothus 'Rav Hartman'				15gl	13	A	T20C 3' x 3'
5gl	20	B	T22J 1/2" c, 5'	1gl	20	C	55B UCDAAS	1gl	267	B	07A
5gl	50	B	T25B 1/2" c, 4 1/2'	Cercis occidentalis				1gl	27	B	D09L
5gl sq	221	C	T24G 3/8" c, 3', RPM	3gl sq	146	A	34K RPM	Lagerstroemia ind. 'Dynamite'-PAT.			
5gl sq	4	C	T28E 1/2" c, 4", RPM	3gl sq	128	A	36E budded, RPM, UCDAAS	1gl	1,674	A	55K
5gl sq	220	C	T07I 3/8" c, 3', RPM	3gl sq	200	B	32B 7', budded, UCDAAS	1gl	12	B	D09L
Lagerstroemia ind. 'Purple'--Std				4"	13	B	C2G	1gl	98	B	03A
15gl	19	B	T32A 3/4" c, 6'	4"	10	A	C2P	1gl	1,940	A	55L
15gl	5	B	DT15I 5/8" c, 6-8'	Cercis occidentalis (N Fk Am Rvr)				5gl	50	C	63K
15gl	40	C	T33I 1/2" c, 5-6'	5gl sq	47	A	T07A budded, 1/2" c, 4', RPM	5gl	270	D	63N
5gl	32	A	T26F 1/2" c, 5-6'	Heteromeles arbutifolia				5gl	238	A	26M
5gl	151	B	T22H 1/2" c, 5 1/2'	4"	16	A	51C RPM; UCDAAS	5gl	260	D	63M
5gl sq	285	B	29E 1/2" c, 5', RPM	5gl sq	65	C	27E RPM, UCDAAS	5gl	116	A	62E
5gl sq	175	B	29F 1/2" c, 5 1/2', RPM	5gl sq	93	A	27D RPM, UCDAAS	Lagerstroemia ind. 'Firebird'			
Lagerstroemia ind. 'Red Rocket'-PAT.--Std				Lagerstroemia fau. 'Acoma'				15gl	6	A	T20C 5' x 4'

